## **DUPONT ANTI-FUSANT 2M**

## SECTION 1 - Identification of the substance/mixture and of the company/undertaking

#### 1.1. - Product identifier

Trade name DUPONT ANTI-FUSANT 2M
Chemical name DUPONT ANTI-FUSANT 2M

Index No. EC No. CAS No.

#### 1.2. - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

- Auxiliary for dye on tissues

## 1.3. - Details of the supplier of the safety data sheet

The Clay ant Paint Factory S.A.

Rue du Dossay 3 4020 WANDRE

Julien Désmaré +32 4 342 19 90 j.desmare@clay-and-paint.com

## 1.4. - Emergency telephone number

- CHEMTREC, US: +1-800-424-9300 International

#### **SECTION 2 - Hazards identification**

#### 2.1. - Classification of the substance or mixture

STOT SE 3 (H336)	Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation	
Asp. Tox. 1	Aspiration hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2	

#### 2.2. - Label elements

Contains: Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS No.:)||Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (CAS No.:)

Signal word Danger

Hazard pictograms







#### Hazard statements

H304	May be fatal if swallowed and enters airways	
H336	May cause drowsiness or dizziness	
H411	Toxic to aquatic life with long lasting effects	

## Precautionary statements

P261	Avoid breathing vapours
P271	Use only outdoors or in a well-ventilated area
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing

17/11/2015 1/9

# **DUPONT ANTI-FUSANT 2M**

P312	Call a POISON CENTER or doctor/physician if you feel unwell	
P331	Do NOT induce vomiting	
P273	Avoid release to the environment	
P391	Collect spillage	
P403+P233	Store in a well-ventilated place. Keep container tightly closed	
P405	Store locked up	
P501	Dispose of contents/container to an accredited treatment center	

## 2.3. - Other hazards

# **SECTION 3 - Composition/information on ingredients**

## 3.1. - Substances

#### 3.2. - Mixtures

Chemical name	No	%	Class	Spec. concentrations
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	CAS No. : Index No. : EC No. : 920-750-0	82,2047665	Aquatic Chronic 2 - H411 Asp. Tox. 1 - H304 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	
Hydrocarbons, C9-C10, n-alkanes,isoalkanes, cyclics, <2% aromatics	CAS No. : Index No. : EC No. : 927-241-2	14,5067235	Aquatic Chronic 3 - H412 Asp. Tox. 1 - H304 Flam. Liq. 3 - H226 STOT SE 3 (H336) - H336	

## **SECTION 4 - First aid measures**

# 4.1. - Description of first aid measures

Measures in case of inhalation	<ul> <li>Provide fresh air.</li> <li>Medical examination necessary even merely on suspicion of intoxication.</li> <li>After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.</li> </ul>
Measures in case of contact with skin	<ul><li>Rinse with water and soap</li><li>When in doubt or if symptoms are observed, get medical advice.</li></ul>
Measures in case of contact with eyes	<ul><li>Rinse immediately carefully and thoroughly with eye-bath or water.</li><li>In case of eye irritation consult an ophthalmologist.</li></ul>
Measures in case of ingestion	<ul><li>Rinse mouth thoroughly with water.</li><li>Do NOT induce vomiting.</li><li>When in doubt or if symptoms are observed, get medical advice.</li></ul>
4.2 Most important symptoms and effects,	both acute and delayed
Symptoms and effects after inhalation	<ul> <li>Can be mortal in case of ingestion and penetration in respiratory tracts</li> <li>The following symptoms may occur: Dizziness</li> <li>The following symptoms may occur: Anaesthetic state</li> </ul>

17/11/2015 2/9

## **DUPONT ANTI-FUSANT 2M**

	- The following symptoms may occur: Central nervous system depression
Symptoms and effects after contact with skin	- No known symptoms to date.
Symptoms and effects after contact with eyes	- No known symptoms to date.
Symptoms and effects after ingestion	- If you feel unwell consult a doctor.
Symptoms and effects after ingestion	- II you leer driwen consult a doctor.

## 4.3. - Indication of any immediate medical attention and special treatment needed

## **SECTION 5 - Firefighting measures**

#### 5.1. - Extinguishing media

Suitable extinguishing media - ABC-powder

- Carbon dioxide (CO2)

- Foam

- Extinguishing powder

<u>Unsuitable extinguishing media</u> - High power water jet

5.2. - Special hazards arising from the substance or mixture

Special hazards - No information available.

5.3. - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

#### SECTION 6 - Accidental release measures

#### 6.1. - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>
- Use personal protection equipment.
- Provide adequate ventilation.

For emergency responders - No information available.

#### 6.2. - Environmental precautions

- Do not allow to enter into surface water or drains.
- 6.3. Methods and material for containment and cleaning up

Appropriate containment techniques - No information available.

Appropriate clean-up procedures - Absorb with liquid-binding material (e.g. sand, diatomaceous

earth, acid- or universal binding agents).

- Wash with plenty of water.

Inappropriate techniques - No information available.

#### 6.4. - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

# SECTION 7 - Handling and storage

17/11/2015 3/9

## **DUPONT ANTI-FUSANT 2M**

## 7.1. - Precautions for safe handling

## Recommendations - After use replace the closing cap immediately. - All work processes must always be designed so that the following is excluded: Inhalation - All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists - All work processes must always be designed so that the following is excluded: Skin contact - Vapours/aerosols must be exhausted directly at the point of origin. Advice on general occupational hygiene - No information available.

## 7.2. - Conditions for safe storage, including any incompatibilities

- No information available.

#### 7.3. - Specific end use(s)

- Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking and when leaving work.

## **SECTION 8 - Exposure controls/personal protection**

#### 8.1. - Control parameters

## 8.2. - Exposure controls

Appropriate engineering controls

	_
Individual protection magazine	auch as parsonal

- No information available.

#### Individual protection measures, such as personal protective equipment

- Suitable respiratory protection apparatus: Particle filter device (DIN EN 143)

- Protective gloves



- Eye protection

- Suitable protective clothing: lab coat
- Ingestion: Do not eat, do not drink, do not smoke during use.

## **SECTION 9 - Physical and chemical properties**

## 9.1. - Information on basic physical and chemical properties

Physical state Color	Liquid	Appearance Odor	Liquid characteristic
рН			No data available
Boiling point			No data available

17/11/2015 4/9

## **DUPONT ANTI-FUSANT 2M**

Flash point	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Melting point	No data available
Freezing point	No data available
Evaporation rate	No data available
flammability	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Density	No data available
Solubility (Water)	No data available
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

#### 9.2. - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

## **SECTION 10 - Stability and reactivity**

#### 10.1. - Reactivity

- This material is considered to be non-reactive under normal use conditions.

#### 10.2. - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

#### 10.4. - Conditions to avoid

- No information available.

## 10.5. - Incompatible materials

- No information available.

## 10.6. - Hazardous decomposition products

- Does not decompose when used for intended uses.

## **SECTION 11 - Toxicological information**

17/11/2015 5/9

## **DUPONT ANTI-FUSANT 2M**

## 11.1. - Information on toxicological effects

Acute toxicity	- Not classified		
	LD50 oral (rat)	No data available	
	LD50 dermal (rat)	No data available	
	LC50 inhalation (rat)	No data available	
	LC50 inhalation dusts and mists (rat)	No data available	
	LC50 inhalation vapours (rat)	No data available	
	- Based on available data, the classification	criteria are not met.	
Skin corrosion/irritation	- Not classified		
Serious eye damage/irritation	- Not classified		
Respiratory or skin sensitisation	- Not classified		
Germ cell mutagenicity	- Not classified		
Carcinogenicity	- Not classified		
Reproductive toxicity	- Not classified		

Specific target organ toxicity - Single exposure

- Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation - May cause drowsiness or dizziness

- Not classified

Specific target organ toxicity -

Repeated exposure

Aspiration hazard

- Aspiration hazard, Category 1 - May be fatal if swallowed and enters airways

## **SECTION 12 - Ecological information**

# 12.1. - Toxicity

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

<sup>-</sup> Toxic to aquatic life with long lasting effects.

## 12.2. - Persistence and degradability

BOD5 - Biological oxygen demand	No data available
COD - Chemical oyxgen demand	No data available
% of biodegradation in 28 days	No data available

- No information available.

## 12.3. - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available

17/11/2015 6/9

## **DUPONT ANTI-FUSANT 2M**

Log Kow No data available

- No indication of bioaccumulation potential.

#### 12.4. - Mobility in soil

- No information available.

#### 12.5. - Results of PBT and vPvB assessment

#### 12.6. - Other adverse effects

- The product contains dangerous substances for the environment.

## SECTION 13 - Disposal considerations

#### 13.1. - Waste treatment methods

- Dispose of waste according to applicable legislation. Appropriate methods of waste treatment

Sewage disposal - No information available.

Special precautions for waste treatment - No information available.

- No information available. Community or national or regional provisions

## **SECTION 14 - Transport information**

#### 14.1. - UN number

Substance name

**UN** number UN3295

#### 14.2. - UN proper shipping name

UN proper shipping name HYDROCARBONS, LIQUID,

N.O.S. (vapour pressure at (ADR) 50 °C not more than 110 kPa)

640D

HYDROCARBONS, LIQUID, UN proper shipping name (RID)

N.O.S. (vapour pressure at

50 °C not more than 110 kPa)

640D

UN proper shipping name

(ADN)

HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at

50 °C not more than 110 kPa)

640D

UN proper shipping name

(IMDG)

HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at

50 °C not more than 110 kPa)

640D

UN proper shipping name

(IATA)

HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at

50 °C not more than 110 kPa)

640D

## 14.3. - Transport hazard class(es)

17/11/2015 7/9

## **DUPONT ANTI-FUSANT 2M**

 ADR Class
 : 3

 ADR Classification code
 : F1

 Class (RID)
 : 3

 Class (ADN)
 : 3

 Class (IMDG)
 : 3

 Class (IATA)
 : 3

**Pictogramms** 





## 14.4. - Packing group

Packing group: IIPacking group (RID): IIPacking group (ADN): IIPacking group (IMDG): IIPacking group (IATA): II

## 14.5. - Environmental hazards

Environmental hazards : Oui

Marine pollutant : Danger pour le milieu aquatique -

Chronique 2

#### 14.6. - Special precautions for user

**ADR** 

ADR Classification code : F1

ADR Special provisions : 640D+649

ADR Limited quantities : 1 L
ADR Excepted quantities : E2

ADR Packing instructions : P001 IBC02 R001

ADR Special packing provisions

ADR Mixed packing provisions : MP19
Instructions for portable tanks and bulk containers : T7

Special provisions for portable tanks and bulk containers : TP1 TP8 TP28

ADR tank code : LGBF

ADR tanks special provisions

Vehicle for tank carriage:FLADR Transport category:2ADR Tunnel restriction code:D/E

ADR Special provisions loading, unloading and handling :

ADR Hazard Identification No. : 33

<u>RID</u>

 Special provisions
 :

 Limited quantities
 :

 Excepted quantities
 :

17/11/2015 8/9

## **DUPONT ANTI-FUSANT 2M**

ADN
Special provisions
Limited quantities
Excepted quantities
:

**IMDG** 

Special provisions :

Limited quantities :

Excepted quantities :

**IATA** 

 Special provisions
 :

 Limited quantities
 :

 Excepted quantities
 :

14.7. - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## **SECTION 15 - Regulatory information**

15.1. - Safety, health and environmental regulations/legislation specific for the substance or mixture

Components in the list of Reach candidates

Components in Annex XIV
Components in Annex XVII

VOC content No data available

15.2. - Chemical safety assessment

<u>Chemical safety assessment carried</u> - No information available. out for the product

# **SECTION 16 - Other information**

## SDS versions

Version	on No.	Date of issue	Description of the amendments
1		17-11-15	

## Texts of the regulatory sentences

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2		
Aquatic Chronic 3	3 Hazardous to the aquatic environment - Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H304	May be fatal if swallowed and enters airways		
H336	May cause drowsiness or dizziness		
H411	Toxic to aquatic life with long lasting effects		
STOT SE 3 (H336)	Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation		

17/11/2015 9/9