series 10 - MUSSINI (with zinc oxide pigments)

07.03.17 Article No. Issue date: 1 / 8 Version (01.03.17) Page

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.1 Product identifier

Trade name

series 10 - MUSSINI

10103 titanium opaque white - 10105 translucent white - 10206 flesh tint - 10207 Medival yellow - 10479 cobalt blue hue - 10486 royal ble deep - 10487 manganese cerulean blue - 10495 Byzantine blue - 10529 viridian - 10784 bluish grey 1 - 10785 bluish grey 2 - 10787 brownish grey 1 -

10790 shade grey - 10792 dove grey

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

Dept. responsible for information

Schmincke-lab:

mo-th 8.00-16.30.fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information

Emergencycall Berlin (24h - counseling in german and english)

Phone # +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

no hazard labelling required

2.2 Label elements

Labelling (CLP)

Signal word

Hazard statements

no hazard labelling required

Safety precautions

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

oil pigment

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

 Article No.
 Issue date:
 07.03.17

 Version
 4 (01.03.17)
 Page
 2 / 8

Dammar resin siccative essential oils
CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

10103 PW6, PW4 10105 PW4, PW6

10206 PW4, PY42, PR101 10207 PW4, PW6, PY53 10479 PB29, PB15:6, PW4 10486 PW4, PW6, PB29, PB15:3 10487 PW4, PB15:3, PB16 10495 PB60, PBk11, PW4 10529 PW4, PY184, PG18 10784 PW4, PW6, PY42, PBk10 10785 PW4, PW6, PBk10 10787 PW4, PW6, PY155, PV15 10790 PG18, PY42, PBk11, PW4

10792 PR101, PW4, PBk11

3.2 Mixtures

Substance 1

solvent naphtha (petroleum), light, aromatic: 1-5 %

CAS: 64742-95-6

REACH: 01-2119455851-35

Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / STOT SE 3; H335 / STOT SE 3; H336 / EUH066

Substance 2

zinc oxide: 2,5-25 % CAS: 1314-13-2

REACH: 01-2119463881-32-0043

Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures are required.

In case of inhalation

In case of skin contact

After eye contact

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

3 / 8

Page

Article No. Issue date: 07.03.17

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

(01.03.17)

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

Version

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: 5 - 40 °C

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

DEU	E-dust	1,250	mg/m³	4 (I)	
DEU		10,000	mg/m³	2(II)	

64742-95-6 solvent naphtha (petroleum), light, aromatic

DEU	WEL	100,000	mg/m³	TRGS 900

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Avoid contact with eyes.

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

4 / 8

Page

Article No. Issue date: 07.03.17

Body protection

Version

Wash contaminated clothing prior to re-use.

General protection and hygiene measures

No special handling advices are necessary. Wash hands thoroughly after handling.

(01.03.17)

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form pasty
Colour pigmented
Odour weak

min max

Initial boiling point and

boiling range

Melting point/freezing point Flash point/flash point range

Flammability

Ignition temperature

Auto-ignition temperature

Explosion limits Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density 1,6 - 20 °C

3,1 g/ml

PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

10.6 Hazardous decomposition products

1314-13-2	ZINC OXI	de						
	oral	LD50	Rat	>	10000,000	mg/kg	-	
	inhalative	LC50	Rat	>	5,700	mg/l	(4h)	
64742-95-6 solvent naphtha (petroleum), light, aromatic								

oral LD50 Rat > 2000,000 mg/kg dermal LD50 Rat > 2000,000 mg/kg

SECTION 11: Toxicological information

11.1 Information on toxicological effects

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No. Issue date:

Version 4 (01.03.17) Page 5 / 8

Acute toxicity
In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

<u>Toxicological tests</u>

1314-13-2 zinc oxide

EC50 Algae 0,170 mg/l (72h)

64742-95-6 solvent naphtha (petroleum), light, aromatic

									
	LC50	fish	>	10,000	mg/l	-			
	LC50	Algae	>	10,000	mg/l	-			

07.03.17

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

EC50 Desmodesmus subspicatus: >= 114,2 mg/l ... for all zinc oxide containing colours (Hydrotox; 05/2224)

Nater Hazard Class

1

WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112

080112 waste paint and varnish other than those mentioned in 080111

series 10 - MUSSINI (with zinc oxide pigments)

07.03.17 Article No. **Issue date:** (01.03.17) 6 / 8 Version Page

Recommendation

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name

ADR, ADN IMDG, IATA No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

ADR, ADN **IMDG** IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG **Marine Pollutant - ADN**

14.6 Special precautions for user

Land transport

Code: ADR/RID Kemmler-number **Hazard label ADR Limited quantities**

Contaminated packaging: Instructions Contaminated packaging: Special provisions Special provisions for packing together

Portable tanks: Instructions Portable tanks: Special provisions

Tank coding **Tunnel restriction**

Remarks EQ

Special provisions

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary Ventilation

Remarks

Special provisions

Sea transport

EmS

Special provisions

Limited quantities

Contaminated packaging: Instructions

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

 Article No.
 Issue date:
 07.03.17

 Version
 4 (01.03.17)
 Page
 7 / 8

Contaminated packaging: Special provisions

IBC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN

Tank instructions Special provisions

Stowage and segregation Properties and observations

Remarks EQ

Air transport

Hazard
Passenger
Passenger LQ
Cargo
ERG
Remarks

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]
Contents of VOC

[9/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class 1

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

<u>Denmark</u>

Further regulations, limitations and legal requirements

<u>Hungary</u>

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

<u>Switzerland</u>

Contents of VOC [%]

max. 5 %

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH

series 10 - MUSSINI (with zinc oxide pigments)

 Article No.
 Issue date:
 07.03.17

 Version
 4 (01.03.17)
 Page
 8 / 8

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

Japan

Further regulations, limitations and legal requirements

<u>Canada</u>

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.