according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

05.01.17 Article No. Issue date: (05.01.17) 1 / 9 Version Page

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.1 Product identifier

series 14 - HORADAM AQUARELL Trade name

Finest artists' water-colours

14 230 Naples yellow reddish 14 481 cerulean blue hue 14 486 cobalt blue hue

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

Dept. responsible for information

Schmincke-lab:

mo-th 8.00-16.30, fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Emergencycall Berlin

Information (24h - counseling in german and english)

Phone # +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word

Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Based on the low volume (small packaging size) and the tiny risk potential there is no labelling on the pans and the 5ml tubes.

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 2 / 9

Safety precautions

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic

reaction. (EUH208)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

pigment gum arabic Water CAS-Number

EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No.

RTECS-no. Hazchem-Code CI-Number

14 230 PW6, PW4, PR242, PY42

14 481 PW4, PB15:3 14 486 PW4, PB29

3.2 Mixtures

Substance 1

zinc oxide: < 25 % CAS: 1314-13-2

REACH: 01-2119463881-32-0043

Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No risks worthy of mention.

In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact

Thoroughly wash skin with soap and water.

Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Let water be drunken in little sips (dilution effect).

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 3 / 9

Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water High power water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: 5 - 30 °C Protect from moisture contamination.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 4 / 9

1314-13-2 zinc oxide

DEU E-du	dust	1,250	mg/m³	4(I)
DEU		10,000	mg/m³	2(II)

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With the formation of dust, use a dust mask.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measuresAfter work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form solid / pasty
Colour pigmented
Odour almost odourless

min max

Initial boiling point and

boiling range

Melting point/freezing point Flash point/flash point range

Flammability

Ignition temperature
Auto-ignition temperature

Explosion limits
Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density max. 20 °C

1,25 kg/l

PH value 4 6,5

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 5 / 9

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

1314-13-2	zinc oxide				

۷.	ZITIC OXIO	JE				
	oral	LD50	Rat	10000,000	mg/kg	-
	inhalative	LC50	Rat	5,700	mg/l	(4h)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Water Hazard Class

WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

2

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

12.6 Other adverse effects

General information

Ecotoxicological effects

1314-13-2

zinc oxide

EC50	Algae	0,170	mg/l	(72h)	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 waste paint and varnish other than those mentioned in 080111

Recommendation

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN Environmentally hazardous substance, liquid n.o.s.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

 ADR, ADN
 9

 IMDG
 9

 IATA
 9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG Yes

Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RIDM6Kemmler-number90Hazard label ADR9Limited quantities51

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisionsPP1Special provisions for packing togetherMP19Portable tanks: InstructionsT4Portable tanks: Special provisionsTP1 - TP29Tank codingLGBV

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 7 / 9

Tunnel restriction E

Remarks

EQ E1

Special provisions 274 - 335 - 375 - 601

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary

Ventilation Remarks EQ

Special provisions

Sea transport

EmS F-A, S-F

Special provisions 274 - 335 - 969

Limited quantities 5

Contaminated packaging: Instructions P001 - LP01

Contaminated packaging: Special provisions PP1
IBC: Instructions IBC03
IBC: Provisions Tank instructions IMO Tank instructions UN T4

Tank instructions Special provisionsTP1 - TP29Stowage and segregationcategory A

Properties and observations

Remarks

EQ E1

Air transport

Hazard

 Passenger
 964 (450I)

 Passenger LQ
 Y964 (30kg G)

 Cargo
 964 (450I)

 ERG
 9L

Remarks

EQ E1

Special Provisioning A97 - A158 - A197

0

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 8 / 9

Storage class

Water Hazard Class 2

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]
Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 9 / 9