50 018 - Cleaner for oil paintings

10.07.17 Article No. Issue date: 1 / 8 Version (10.07.17) Page

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.1 Product identifier

50 018 - Cleaner for oil paintings **Trade name**

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath

Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de

Dept. responsible for information

Schmincke-lab:

www.schmincke.de

mo-th 8.00-16.30.fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information

Emergencycall Berlin (24h - counseling in german and english)

Phone # +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

no hazard labelling required

2.2 Label elements

Labelling (CLP)

Signal word

Hazard statements

no hazard labelling required

Safety precautions

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking. (EUH066)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

White spirit Water wax **Emulsifier**

according to Regulation (EC) No. 1907/2006 (REACH

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 2 / 8

CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

3.2 Mixtures

Substance 1

naphta (petroleum), hydrotreated heavy: 25 - 40 %

CAS: 64742-48-9

REACH: 01-2119457273-39-xxxx Asp. Tox. 1; H304 / EUH066

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Do NOT induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

50 018 - Cleaner for oil paintings

10.07.17 Article No. Issue date: (10.07.17) Version

Page

3 / 8

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage Storage class **Further details**

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

64742-48-9 naphta (petroleum), hydrotreated heavy

DEU	WEL	100,000	ma/ka	-
DEU	WEL	600,000	mq/m³	-

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protective gloves

Qualified materials: Nitrile rubber

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Goggles

Body protection

Wear suitable protective clothing.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

pasty **Form**

yellowish, opaque Colour weak like white spirit Odour

according to Regulation (EC) No. 1907/2006 (REACH)

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 4 / 8

min max

Initial boiling point and

boiling range

Melting point/freezing point

Flash point/flash point range

61 °C

Flammability

Ignition temperature

Auto-ignition temperature

Explosion limits

Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density

PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

450

0,88 g/ml

40 °C

500 mm²/s 40 °C

9.2 Other information

SECTION 10: Stability and reactivity

20 °C

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

naphta (petroleum), hydrotreated heavy

oral	LD50	Rat	>	5000,000	mg/kg	-
inhalative	LC50	Rat	>	4900,000	mg/m³	(4h)
dermal	LD50	Rabbit	>	5000,000	mg/kg	-

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

according to Regulation (EC) No. 1907/2006 (REACH

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 5 / 8

After eye contact

No data available

Practical experience

General remarks

<u>Toxicological tests</u>

64742-48-9 naphta (petroleum), hydrotreated heavy

1

_								
	LC50	fish	>	1000,000	mg/l	-		
	LC50	Algae	>	1000,000	mg/l	-		

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

General information

No data available

Water Hazard Class WGK catalog number

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

according to Regulation (EC) No. 1907/2006 (REACH)

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 6 / 8

14.2 UN proper shipping name

ADR, ADN

No dangerous good in sense of these transport regulations.

IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN IMDG IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RID Kemmler-number Hazard label ADR Limited quantities

Contaminated packaging: Instructions Contaminated packaging: Special provisions Special provisions for packing together

Portable tanks: Instructions
Portable tanks: Special provisions

Tank coding
Tunnel restriction

Remarks EQ

Special provisions

Inland waterway craft

Hazard label

Limited quantities

Transport permitted

Equipment necessary

Ventilation

Remarks

EQ

Special provisions

Sea transport

EmS

Special provisions Limited quantities

Contaminated packaging: Instructions Contaminated packaging: Special provisions

IBC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN

Tank instructions Special provisions

Stowage and segregation Properties and observations

Remarks

ΕQ

according to Regulation (EC) No. 1907/2006 (REACH)

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 7 / 8

Air transport

Hazard

Passenger

Passenger LQ

Cargo

ERG

Remarks

EO

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

a/L1

Further regulations, limitations and legal requirements

<u>Germany</u>

Storage class

Water Hazard Class 1

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

<u>Denmark</u>

Further regulations, limitations and legal requirements

<u>Hungary</u>

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

~ 30 %

Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

according to Regulation (EC) No. 1907/2006 (REACH

50 018 - Cleaner for oil paintings

 Article No.
 Issue date:
 10.07.17

 Version
 3 (10.07.17)
 Page
 8 / 8

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H304 May be fatal if swallowed and enters airways.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information