## 50 053 - Transparent paint medium

11.07.17 Article No. Issue date: 1 / 8 Version ( 11.07.17 ) **Page** 

## SECTION 1: Identification of the substance/mixture and of the

## company/undertaking

#### 1.1 Product identifier

50 053 - Transparent paint medium **Trade name** 

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

#### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de

www.schmincke.de

Dept. responsible for information Schmincke-lab:

> mo-th 8.00-16.30.fr 8.00-13.30 Tel. +49 (0) 211-2509-474

labor@schmincke.de

#### 1.4 Emergency telephone number

**Emergency Information** 

Emergencycall Berlin (24h - counseling in german and english)

Phone # +49 (0) 30-30686790

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (CLP)

Signal word

**Hazard statements** 

H412 Harmful to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children. P273 Avoid release to the environment.

#### 2.3 Other hazards

## SECTION 3: Composition / information on ingredients

#### 3.1 Substances

#### **Chemical characterisation**

White spirit Dammar resin Stand oil

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

 Article No.
 Issue date:
 11.07.17

 Version
 4 ( 11.07.17 )
 Page
 2 / 8

siccative

CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

#### 3.2 Mixtures

Substance 1

solvent naphtha (petroleum), light, aromatic: CAS-Number:

64742-95-6

EU index number: 265-199-0

EINECS / ELINCS / NLP: 649-356-00-4 REACH registration No.: 01-2119455851-35 Classification according to Directive 67/548/EEC or

1999/45/EC:

Nature of Hazard: N - Xn / R phrase(s): 10 - 37 - 51/53

- 65 - 66 - 67

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411  $\,/\,$  Asp. Tox. 1; H304  $\,/\,$  not required; EUH066  $\,/\,$  Flam. Liq. 3; H226  $\,/\,$  STOT SE 3; H335

/ STOT SE 3; H336

**Substance 3** 

spike oil: Classification according to Directive

67/548/EEC or 1999/45/EC: Nature of Hazard: / R phrase(s):

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Eye Irrit.

2; H319 / Flam. Liq. 3; H226 / Skin Sens. 1; H317

Substance 2

rosemary, ext.: CAS-Number: 84604-14-8

EU index number: 283-291-9

Classification according to Directive 67/548/EEC or

1999/45/EC:

Nature of Hazard: N - Xn / R phrase(s): 10 - 43 - 51/53

- 65

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq.

3; H226 / Skin Sens. 1; H317

#### **Additional information**

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water or washed out well with warm soapy water before disposal. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

If you feel unwell, seek medical advice (show the label where possible).

#### In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

#### In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

#### After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

#### After swallowing

Rinse mouth with water. Do NOT induce vomiting. Immediately get medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

 Article No.
 Issue date:
 11.07.17

 Version
 4 ( 11.07.17 )
 Page
 3 / 8

### 4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

strong water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Use appropriate respiratory protection.

**Additional information** 

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

#### **6.2 environmental precautions**

Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

**Additional information** 

#### **6.4 Reference to other sections**

Dispose of waste according to applicable legislation.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

#### 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

64742-95-6 solvent naphtha (petroleum), light, aromatic

	DEU	INIE-I	100,000	mg/m³	TRGS 900
--	-----	--------	---------	-------	----------

#### **8.2 Exposure controls**

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

11.07.17 Article No. Issue date: 4 / 8 Version ( 11.07.17 ) Page

#### Occupational exposure controls

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection must be worn whenever the WEL levels have been exceeded.

Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

#### Hand protection

Qualified materials: Nitrile rubber Layer thickness > 0,35 mm Breakthrough time > 480 min

Ultranitril 492 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de

All information was derived in accordance with EU directive 89/686/EWG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves. This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided.

#### Eye protection

Goggles

#### **Body protection**

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

#### General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## **SECTION 9: Physical and chemical properties**

#### 9.1 information on basic physical and chemical properties

liquid

Colour yellowish, clear white spirit Odour

> min max

Initial boiling point and

boiling range

Melting point/freezing point

65 °C 65 °C Flash point/flash point range

**Flammability** 

**Ignition temperature Auto-ignition temperature** 

**Explosion limits** Refraction index

Partition coefficient: n-octanol/water

**Danger of explosion** 

Vapour pressure

0,95 g/ml 20 °C Density

PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

### 9.2 Other information

## **SECTION 10: Stability and reactivity**

Product is stable under normal storage conditions.

#### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

 Article No.
 Issue date:
 11.07.17

 Version
 4 ( 11.07.17 )
 Page
 5 / 8

#### 10.4 Conditions to avoid

Protect from frost and exposure to sun.

#### **10.5 Incompatible materials**

strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

64742-95-6 solvent naphtha (petroleum), light, aromatic

<u>,-0</u>	Solvent haphtha (petroleum), light, aromatic									
	oral	LD50	Rat	>	2000,000	mg/kg	-			
Ī	dermal	LD50	Rat	>	2000,000	mg/kg	-			

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

#### Practical experience

## **General remarks**

## Toxicological tests

64742-95-6 solvent naphtha (petroleum), light, aromatic

LC50	fish	>	10,000	mg/l	-
LC50	Algae	>	10,000	mg/l	-

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Aquatic toxicity** 

No data available

Water Hazard Class 2

WGK catalog number General information

#### 12.2 Persistence and degradability

**Further details** 

Product is partially biodegradable.

Oxygen demand

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

 Article No.
 Issue date:
 11.07.17

 Version
 4 ( 11.07.17 )
 Page
 6 / 8

No data available

### 12.6 Other adverse effects

General information

**Ecotoxicological effects** 

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste key number

080111\* waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

#### Contaminated packaging

Waste key number Recommendation

**Additional information** 

## **SECTION 14: Transport information**

#### 14.1 UN number

### 14.2 UN proper shipping name

ADR, ADN

No dangerous good in sense of these transport regulations.

IMDG, IATA

#### 14.3 Transport hazard class(es)

ADR, ADN

IMDG

IATA

#### 14.4 Packing group

#### 14.5 Environmental hazards

**Marine Pollutant - IMDG** 

Marine Pollutant - ADN

#### 14.6 Special precautions for user

#### **Land transport**

Code: ADR/RID

Kemmler-number

**Hazard label ADR** 

**Limited quantities** 

Contaminated packaging: Instructions
Contaminated packaging: Special provisions
Special provisions for packing together

Portable tanks: Instructions
Portable tanks: Special provisions

Tank coding
Tunnel restriction

Remarks

EQ

Special provisions

#### **Inland waterway craft**

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 053 - Transparent paint medium

 Article No.
 Issue date:
 11.07.17

 Version
 4 ( 11.07.17 )
 Page
 7 / 8

Hazard label
Limited quantities
Transport permitted
Equipment necessary
Ventilation
Remarks
EQ

**Special provisions** 

#### Sea transport

**EmS** 

Special provisions Limited quantities

Contaminated packaging: Instructions
Contaminated packaging: Special provisions

IBC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN

**Tank instructions Special provisions** 

Stowage and segregation
Properties and observations

Remarks EQ

#### Air transport

Hazard Passenger Passenger LQ Cargo ERG Remarks

**Special Provisioning** 

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### **Europe**

Contents of VOC [%]
Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

#### **Germany**

Storage class

Water Hazard Class 2

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

#### **Denmark**

## 50 053 - Transparent paint medium

11.07.17 Article No. Issue date: ( 11.07.17 ) 8 / 8 Version Page

Further regulations, limitations and legal requirements

#### Hungary

Further regulations, limitations and legal requirements

#### **Great Britain**

Further regulations, limitations and legal requirements

#### <u>Switzerland</u>

Contents of VOC [%]

10 %

Further regulations, limitations and legal requirements

#### **USA**

Further regulations, limitations and legal requirements **Federal Regulations State Regulations** 

#### **Japan**

Further regulations, limitations and legal requirements

#### **Canada**

Further regulations, limitations and legal requirements

#### 15.2 Chemical Safety Assessment

#### **SECTION 16: Other information**

#### **Further information**

H226 Flammable liquid and vapour. Hazard statements (CLP)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Further information**

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to quarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Reason of change

#### **Additional information**

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.