



Printing date 25.04.2016 Version number 1 Revision: 25.04.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WEPAM PFW145 / PFW500
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cléopâtre

12, bd de Chinon 37510 BALLAN

*Téléphone: 0247801800 Fax: 0247801804* 

Email: info@colles-cleopatre.com
• 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK: +44 (0)-870-190-6777 (CARECHEM24)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not classified as hazardous
- $\cdot \textit{Hazard pictograms} \ \textit{Not classified as hazardous}$
- · Signal word Not classified as hazardous
- · Hazard statements Not classified as hazardous
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

	Dangerous components:	71-7 Pyrithione zinc <0.006%	
Ī	CAS: 13463-41-7		0.000,0
	EINECS: 236-671-3	Acute Tox. 3, H331; O Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	
Ī	CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	< 0.01%
	EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 2, H330; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Skin Sens. 1, H317	
Ī	CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.0015%
	EINECS: 220-120-9 Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	

· SVHC No





Printing date 25.04.2016 Version number 1 Revision: 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

(Contd. of page 1)

· Additional information: For the wording of the listed risk phrases, refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After excessive inhalation: Provide fresh air; consult a doctor in case of medical complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow the product to enter sewers/surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections:

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)





Version number 1 Revision: 25.04.2016 Printing date 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

(Contd. of page 2)

· 7.3 Specific end use(s): No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any signifiant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Gloves material:

The selection of suitable gloves does not depend only on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Liquid		
Colour:	Clear		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	Not applicable.		
Decomposition temperature:	Not determined.		
Self-igniting:	Product is not self igniting.		
Danger of explosion:	Product does not present an explosion hazard.		





Printing date 25.04.2016 Version number 1 Revision: 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density:	Not determined.	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Segregation coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information :	No further relevant information available.	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· <i>LD/LC50</i> 1	· LD/LC50 values relevant for classification:		
2634-33-5	4-33-5 1,2-benzisothiazol-3(2H)-one		
Oral	LD50	1193 mg/kg (rat)	
Dermal	LD50	4115 mg/kg (rat)	
2682-20-4	2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	LD50	100 mg/kg (ATE)	
	LC50/4 h	0.5 mg/l (ATE)	

- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eyes: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)





Printing date 25.04.2016 Version number 1 Revision: 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

(Contd. of page 4)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

· 12.1 Toxicity

	· Aquatic to	xicity:
2634-33-5 1,		1,2-benzisothiazol-3(2H)-one
	LC50 24h	2038 mg/l (daphnia)
	LC50 48h	609.88 mg/l (daphnia)
	EC50 96h	1.3 mg/l (fish)

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation**: Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, ADN, IMDG, IATA	Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 6)





Printing date 25.04.2016 Version number 1 Revision: 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

		(Contd. of page :
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
·Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Void	

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

(Contd. on page 7)





Version number 1 Revision: 25.04.2016 Printing date 25.04.2016

Trade name: WEPAM - PFW145 / PFW500

(Contd. of page 6)

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1