according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 1 / 8

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.1 Product identifier

Trade name 50 023 - Terpin

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath

Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

Dept. responsible for information

Schmincke-lab:

mo-th 8.00-16.30, fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information Phone #

Emergencycall Berlin (24h - counseling in german and english) +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (CLP)



<u>Signal word</u> Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Safety precautions

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/.. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 2 / 8

skin with water [or shower].

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking. (EUH066)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

white spirit

CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

3.2 Mixtures

Substance 1

naphta (petroleum), hydrotreated heavy: 95-100 %

CAS: 64742-48-9

REACH: 01-2119457273-39-xxxx Asp. Tox. 1; H304 / EUH066

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 3 / 8

strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage Storage class Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

64742-48-9 naphta (petroleum), hydrotreated heavy

	DEU	WEL	100,000	mg/kg	-
Γ	DEU	WEL	600,000	mg/m³	-

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection must be worn whenever the WEL levels have been exceeded.

Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

Hand protection

Qualified materials: Nitrile rubber Layer thickness: > 0,35 mm Breakthrough time: > 480 min

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

01.03.17 Article No. Issue date: (01.03.17) 4 / 8 Version Page

Ultranitril 492 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de All information was derived in accordance with EU directive 89/686/EWG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves. This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measuresHandle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

liquid Form

colourless, clear Colour

Odour weak

> min max

Initial boiling point and

160 °C 240 °C

boiling range

Melting point/freezing point

Flash point/flash point range

61 °C 61 °C

Flammability

Ignition temperature Auto-ignition temperature

Explosion limits Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

20 °C 0,79 g/ml Density

PH value

Viscosity dynamic of Viscosity dynamic up to

1,3 mm²/s 20 °C Viscosity kinematic of 2,5 mm²/s 20 °C Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 5 / 8

64742-48-9 naphta (petroleum), hydrotreated heavy

	oral	LD50	Rat	>	5000,000	mg/kg	-
[inhalative	LC50	Rat	>	4900,000	mg/m³	(4h)
	dermal	LD50	Rabbit	>	5000,000	mg/kg	-

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

64742-48-9

naphta (petroleum), hydrotreated heavy

LC50	fish	>	1000,000	mg/l	-			
TO50 21820 1000 000 mg/l								
TC20	Algae	<i>></i>	1000,000	mg/l	-			

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

No data available

Water Hazard Class

non hazardous to water

WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080111* waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name

ADR, ADN

No dangerous good in sense of these transport regulations.

IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN IMDG

IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RID Kemmler-number Hazard label ADR Limited quantities

Contaminated packaging: Instructions
Contaminated packaging: Special provisions
Special provisions for packing together

Portable tanks: Instructions
Portable tanks: Special provisions

Tank coding
Tunnel restriction

Remarks EQ

Special provisions

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary Ventilation

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

01.03.17 Article No. Issue date: (01.03.17) 7 / 8 Version Page

Remarks

Special provisions

Sea transport

EmS

Special provisions Limited quantities

Contaminated packaging: Instructions Contaminated packaging: Special provisions

IBC: Instructions IBC: Provisions Tank instructions IMO Tank instructions UN

Tank instructions Special provisions

Stowage and segregation **Properties and observations**

Remarks EQ

Air transport

Hazard

Passenger Passenger LQ

Cargo FRG

Remarks

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

[q/L]

Further regulations, limitations and legal requirements

<u>Germany</u>

Storage class

non hazardous to water **Water Hazard Class**

WGK catalog number **Incident regulation**

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

50 023 - Terpin

 Article No.
 Issue date:
 01.03.17

 Version
 4 (01.03.17)
 Page
 8 / 8

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

~ 100 %

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.