

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.  
Version 4 ( 04.01.17 )

Issue date: 04.01.17  
Page 1 / 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name series 14 - HORADAM AQUARELL  
Finest artists' water-colours

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Products for creation of art.

Uses advised against

#### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG  
Otto-Hahn-Str. 2  
D - 40699 Erkrath  
Tel. +49 (0) 211-2509-0  
Fax. +49 (0) 211-2509-497  
info@schmincke.de  
www.schmincke.de

Dept. responsible for information  
Schmincke-lab:  
mo-th 8.00-16.30,fr 8.00-13.30  
Tel. +49 (0) 211-2509-474  
labor@schmincke.de

#### 1.4 Emergency telephone number

<b>Emergency Information</b> Phone #	<b>Emergencycall Berlin</b> (24h - counseling in german and english) +49 (0) 30-30686790
---	--

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to EC regulation 1272/2008 (CLP)

no hazard labelling required

#### 2.2 Label elements

##### Labelling (CLP)

##### Signal word

##### Hazard statements

no hazard labelling required

##### Safety precautions

#### 2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208)

### SECTION 3: Composition / information on ingredients

#### 3.1 Substances

Chemical characterisation  
pigment  
gum arabic

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	2 / 8

Water  
CAS-Number  
EINECS / ELINCS / NLP  
EU index number  
Customs tariff number  
REACH registration No.  
RTECS-no.  
Hazchem-Code  
CI-Number

### **3.2 Mixtures**

#### **Additional information**

Further information: see appendix this safety data sheet.  
The colours 14 102, 230, 481, 486 contain zinc oxide. (see separate safety data sheet)

## SECTION 4: First aid measures

### **4.1 Description of first aid measures**

#### **General information**

No risks worthy of mention.

#### **In case of inhalation**

No special measures are required.  
If you feel unwell, seek medical advice (show the label where possible).

#### **In case of skin contact**

Thoroughly wash skin with soap and water.  
Seek medical attention if irritation persists.

#### **After eye contact**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.  
Seek medical attention if irritation persists.

#### **After swallowing**

Rinse mouth with water. Let water be drunk in little sips (dilution effect).  
Get medical advice/attention if you feel unwell.

### **4.2 Most important symptoms and effects, both acute and delayed**

### **4.3 Indication of any immediate medical attention and special treatment needed**

## SECTION 5: Firefighting measures

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

#### **Extinguishing media which must not be used for safety reasons**

water High power water jet

### **5.2 Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide and carbon dioxide

### **5.3 Advice for firefighters**

#### **Special protective equipment for firefighters**

#### **Additional information**

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	3 / 8

Avoid contact with skin, eyes, and clothing.

### **6.2 environmental precautions**

Discharge into the environment must be avoided.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Take up mechanically. Wash spill area with plenty of water.

#### **Additional information**

### **6.4 Reference to other sections**

Dispose of waste according to applicable legislation. refer to section 13

## SECTION 7: Handling and storage

### **7.1 Precautions for safe handling**

#### **Advices on safe handling**

Handle in accordance with good industrial hygiene and safety practice.

#### **Precautions against fire and explosion**

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Requirements for storerooms and containers**

Keep container tightly closed.

#### **Hints on joint storage**

#### **Storage class**

#### **Further details**

storage temperature: 5 - 30 °C

Protect from moisture contamination.

### **7.3 Specific end use(s)**

No special measures necessary if stored and handled as prescribed.

## SECTION 8: Exposure controls/personal protection

### **8.1 Control parameters**

### **8.2 Exposure controls**

#### **Occupational exposure controls**

##### **Respiratory protection**

With the formation of dust, use a dust mask.

##### **Hand protection**

Protect skin by using skin protective cream.

##### **Eye protection**

Goggles

##### **Body protection**

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

##### **General protection and hygiene measures**

After work, wash hands and face.

## SECTION 9: Physical and chemical properties

### **9.1 information on basic physical and chemical properties**

Form	solid / pasty
Colour	pigmented
Odour	almost odourless

min                      max

#### **Initial boiling point and**

#### **boiling range**

#### **Melting point/freezing point**

#### **Flash point/flash point range**

#### **Flammability**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	4 / 8

Ignition temperature

Auto-ignition temperature

Explosion limits

Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density max. 20 °C

1,25 kg/l

PH value 4 6,5

Viscosity dynamic of

Viscosity dynamic up to

Viscosity kinematic of

Viscosity kinematic up to

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

frost and heat

### 10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

#### In case of inhalation

No data available

#### After swallowing

No data available

#### In case of skin contact

No data available

#### After eye contact

No data available

### Practical experience

### General remarks

### Toxicological tests

## SECTION 12: Ecological information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	5 / 8

### 12.1 Toxicity

Aquatic toxicity  
Water Hazard Class 2  
WGK catalog number  
General information

### 12.2 Persistence and degradability

Further details  
Product is partially biodegradable.  
Oxygen demand

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF)  
Partition coefficient: n-octanol/water

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information

### Ecotoxicological effects

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number  
080112 080112 waste paint and varnish other than those mentioned in 080111  
Recommendation

#### Contaminated packaging

Waste key number  
Recommendation

#### Additional information

## SECTION 14: Transport information

### 14.1 UN number

### 14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.  
IMDG, IATA

### 14.3 Transport hazard class(es)

ADR, ADN  
IMDG  
IATA

### 14.4 Packing group

### 14.5 Environmental hazards

Marine Pollutant - IMDG  
Marine Pollutant - ADN

### 14.6 Special precautions for user

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM SQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	6 / 8

### Land transport

Code: ADR/RID  
Kemmler-number  
Hazard label ADR  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
Special provisions for packing together  
Portable tanks: Instructions  
Portable tanks: Special provisions  
Tank coding  
Tunnel restriction  
Remarks  
EQ  
Special provisions

### Inland waterway craft

Hazard label  
Limited quantities  
Transport permitted  
Equipment necessary  
Ventilation  
Remarks  
EQ  
Special provisions

### Sea transport

EmS  
Special provisions  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
IBC: Instructions  
IBC: Provisions  
Tank instructions IMO  
Tank instructions UN  
Tank instructions Special provisions  
Stowage and segregation  
Properties and observations  
Remarks  
EQ

### Air transport

Hazard  
Passenger  
Passenger LQ  
Cargo  
ERG  
Remarks  
EQ  
Special Provisioning

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.		Issue date:	04.01.17
Version	4 ( 04.01.17 )	Page	7 / 8

### National regulations

#### Europe

Contents of VOC [%] 0  
Contents of VOC  
[g/L]  
Further regulations, limitations and legal requirements

#### Germany

Storage class  
Water Hazard Class 2  
WGK catalog number  
Incident regulation  
Information on working limitations  
Further regulations, limitations and legal requirements

#### Denmark

Further regulations, limitations and legal requirements

#### Hungary

Further regulations, limitations and legal requirements

#### Great Britain

Further regulations, limitations and legal requirements

#### Switzerland

Contents of VOC [%]  
Further regulations, limitations and legal requirements

#### USA

Further regulations, limitations and legal requirements  
Federal Regulations  
State Regulations

#### Japan

Further regulations, limitations and legal requirements

#### Canada

Further regulations, limitations and legal requirements

### 15.2 Chemical Safety Assessment

## SECTION 16: Other information

### Further information

#### Hazard statements (CLP)

#### Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

---

<b>Article No.</b>		<b>Issue date:</b>	<b>04.01.17</b>
<b>Version</b>	<b>4 ( 04.01.17 )</b>	<b>Page</b>	<b>8 / 8</b>

---

**Reason of change**

**Additional information**



# Anhang für das Sicherheitsdatenblatt Nr.: 14 000 000

## HORADAM® AQUARELL

art.nr.	art.name	C.I.		CAS-nr.
14101	titanium-opaque white	PW6	Titanium dioxide	13463-67-7
* 14205	rutile yellow	PY53	Rutile (Ti, Ni, Sb)	8007-18-9
14206	titanium yellow	PY53	Rutile (Ti, Ni, Sb)	8007-18-9
14207	vanadium yellow	PY184	Bismuth vanadate	14059-33-7
* 14208	aureolin hue	PY151	Benzimidazolone	61036-28-0
* 14209	transparent yellow	PY150	Azo-nickel-complex	68511-62-6
* 14211	chromium yellow hue, lemon	PY175	Benzimidazolone	35636-63-6
* 14212	chromium yellow hue, light	PY153; PY155	Nickel-complex; Disazo	68859-51-8; 68516-73-4
* 14213	chromium yellow hue, deeo	PY65	Monoazo	6528-34-3
* 14214	chromium orange hue	PO62	Benzimidazolone	75601-68-2
14215	lemon yellow	PY3	Monoazo	6486-23-3
14216	pure yellow	PY154	Benzimidazolone	68134-22-5
* 14217	gamboge gum modern	PY150; PR101	Azo-nickel-complex; Iron oxide	68511-62-6; 1309-37-1
* 14218	transparent orange	PO71	Diketo-pyrrolo-pyrrol	71832-85-4
* 14219	Turner's yellow	PY216	Rutile (Zn, Sn)	85536-73-8
14220	Indian yellow	PY110; PY154	Isoindolinone; Benzimidazolone	5590-18-1; 68134-22-5
14221	jaune brilliant dark	PW6; PY53; PBr24	Titanium dioxide; Rutile (Ti, Ni, Sb); Rutile (Ti, Cr, Sb)	13463-67-7; 8007-18-9; 68186-90-3
* 14222	yellow orange	PY153	Nickel-complex	68859-51-8
14223	cadmium yellow lemon	PY35	Cadmium-zinc-sulphide	8048-07-5; 7727-43-7
14224	cadmium yellow light	PY35	Cadmium-zinc-sulphide	8048-07-5; 7727-43-7
14225	cadmium yellow middle	PY35	Cadmium-zinc-sulphide	8048-07-5; 7727-43-7
14226	cadmium yellow deep	PY35; PO20	Cadmium-zinc-sulphide; Cadmium sulfo-selenide	8048-07-5; 7727-43-7; 12656-57-4
14227	cadmium orange light	PO20	Cadmium sulfo-selenide	12656-57-4
14228	cadmium orange deep	PO20	Cadmium sulfo-selenide	12656-57-4
14229	Naples yellow	PW6; PY53; PBr24	Titanium dioxide; Rutile (Ti, Ni, Sb); Rutile (Ti, Cr, Sb)	13463-67-7; 8007-18-9; 68186-90-3
* 14341	geranium red	PR242	Disazocondensation	118440-67-8
* 14342	vermilion light	PR188	-	-
* 14343	quinacridone red light	PR207	Quinacridone	-
* 14344	perylene dark red	PR178	Perylen	3049-71-6
* 14346	ruby red deep	PR264	Diketo-pyrrolo-pyrrol	-
14347	cadmium red middle	PR108	Cadmium sulfo-selenide	58339-34-7; 7727-43-7
14348	cadmium red orange	PO20	Cadmium sulfo-selenide	12656-57-4
14349	cadmium red light	PR108	Cadmium sulfo-selenide	58339-34-7; 7727-43-7
14350	cadmium red deep	PR108	Cadmium sulfo-selenide	58339-34-7; 7727-43-7
14351	ruby red	PV19	Quinacridone	1047-16-1
14352	magenta	PV42	Quinacridone	-
14353	permanent carmine	PV19	Quinacridone	1047-16-1
14354	madder red dark	PV19; PR179	Quinacridone; Perylen	1047-16-1; 5521-31-3
* 14355	transparent red deep	PR144	Quinacridone	980-26-7

**Anhang für das Sicherheitsdatenblatt Nr.: 14 000 000**  
**HORADAM® AQUARELL**

art.nr.	art.name	C.I.		CAS-nr.
14356	rose madder	PR83:1; PR48:4	Anthraquinone, Al; BONS, Mn	72-78-0; 5280-66-0
14357	alizarin crimson	PR83:1	Anthraquinone, Al	72-78-0
14358	madder lake deep	PR83:1; PR177	Anthraquinone, Al; Anthanthrone	72-78-0; 4051-63-2
* 14359	Saturn red	PO64	Benzimidazolone	75601-68-2
14360	permanent red orange	PO62; PR242	Benzimidazolone; Disazocondensation	75601-68-2; 118440-67-8
14361	permanent red	PR242; PO62	Disazocondensation; Benzimidazolone	118440-67-8; 75601-68-2
* 14362	Bordeaux	PR187	Naphthol AS	59487-23-9
14363	scarlet red	PR254	Diketo-pyrrolo-pyrrol	122390-98-1
14365	vermilion	PR255	Diketo-pyrrolo-pyrrol	120500-90-5
* 14366	perylene maroon	PR179	Perylen	5521-31-3
14367	purple magenta	PR122	Quinacridone	980-26-7
14368	quinacridone violet	PV19	Quinacridone	1047-16-1
* 14369	quinacridone magenta	PR202	Quinacridone	1047-16-1
* 14370	Potter's pink	PR233	Quinacridone	3089-16-5
* 14371	perylene violet	PV29	Dioxazine	6358-30-1
* 14472	quinacridone purple	PV55	Quinacridone	-
* 14473	cobalt violet hue	-	Strontium phosphate	101356-96-1
14474	manganese violet	PV16	Manganese-ammonium pyrophosphate	10101-66-3
14475	helio turquoise	PB16	Phthalocyanine	574-93-6
* 14476	Schmincke violet	PV23	Dioxazine	6358-30-1
* 14477	phthalo sapphire blue	PB15:6	Phthalocyanine (Cu)	147-14-8
14479	helio cerulean	PB15:3	Phthalocyanine (Cu)	147-14-8
14480	mountain blue	PW5; PB29; PG7	Barium sulfate; Sodium aluminum silicate; Phthalocyanine (Cu, Cl)	1345-05-7; 57455-37-5; 1328-53-6
14482	Delft blue	PB60	Indanthrone	81-77-6
* 14483	cobalt azure	PB35	Spinel (Co, Sn)	68187-05-3
14484	phthalo blue	PB15:1	Phthalocyanine (Cu)	147-14-8
14485	indigo	PB15:1; PB66	Phthalocyanine (Cu); Indigo, synthetic	147-14-8; 482-89-3
14487	cobalt blue light	PB28	Spinel (Co, Al)	1345-16-0
14488	cobalt blue deep	PB74	Phenacite (Co, Zn, Si)	68412-74-8
14491	Paris blue	PB15; PB15:1; PB27	Phthalocyanine (Cu); Phthalocyanine (Cu); Iron-cyan-complex	147-14-8; 147-14-8; 14038-43-8; 25869-98-1
14492	Prussian blue	PB27	Iron-cyan-complex	14038-43-8; 25869-98-1
* 14493	French ultramarine	PB29	Sodium aluminum silicate	57455-37-5
14494	ultramarine finest	PB29	Sodium aluminum silicate	57455-37-5
14495	ultramarine violet	PV15; PB29	Sodium aluminum silicate; Sodium aluminum silicate	12769-96-9; 57455-37-5
14496	ultramarine blue	PB15; PB29	Phthalocyanine (Cu); Sodium aluminum silicate	147-14-8; 57455-37-5
* 14498	dark blue	PB60	Indanthrone	81-77-6
14499	cobalt cerulean	PB36	Spinel (Co, Al, Cr)	68187-11-1
14509	cobalt turquoise	PG50	Spinel (Co, Ni, Zn, Ti)	68186-85-6
14510	cobalt green turquoise	PB36	Spinel (Co, Al, Cr)	68187-11-1

**Anhang für das Sicherheitsdatenblatt Nr.: 14 000 000**  
**HORADAM® AQUARELL**

art.nr.	art.name	C.I.		CAS-nr.
14511	chromium oxide green brilliant	PG18; PG7	Hydrated chromium oxide; Phthalocyanine (Cu, Cl)	12001-99-9; 1328-53-6
14512	chromium oxide green	PG17	Hematite (Cr)	1308-38-9
* 14513	viridian	PG18	Hydrated chromium oxide	12001-99-9
14514	helio green	PG36	Phthalocyanine complex (Cu, Cl, Br)	14302-13-7
14515	olive green	PB15; PG8	Phthalocyanine (Cu); Phthalocyanine (Cu, Cl)	147-14-8; 1328-53-6
14516	green earth	PBr7; PG7	Earth pigment; Phthalocyanine (Cu, Cl)	-; 1328-53-6
14519	phthalo green	PG7	Phthalocyanine (Cu, Cl)	1328-53-6
14521	Hooker's green	PB15:3; PG7; PY42	Phthalocyanine (Cu); Phthalocyanine (Cu, Cl); Hydrated iron oxide	147-14-8; 1328-53-6; 20344-49-4
14524	may green	PY151; PG7	Benzimidazolone; Phthalocyanine (Cu, Cl)	61036-28-0; 1328-53-6
14525	olive green yellowish	PO62; PG36	Benzimidazolone; Phthalocyanine complex (Cu, Cl, Br)	75601-68-2; 14302-13-7
14526	permanent green	PY155; PG7	Disazo; Phthalocyanine (Cu, Cl)	68516-73-4; 1328-53-6
14528	Prussian green	PG7; PB60	Phthalocyanine (Cu, Cl); Indanthrone	1328-53-6; 81-77-6
14530	sap green	PY153; PG7	Nickel-complex; Phthalocyanine (Cu, Cl)	68859-51-8; 1328-53-6
14533	cobalt green dark	PG26	Spinel (Co,Cr)	68187-49-5
14534	permanent green olive	PO62; PG7	Benzimidazolone; Phthalocyanine (Cu, Cl)	75601-68-2; 1328-53-6
14535	cobalt green pure	PG19	Spinel (Co, Zn)	8011-87-8
* 14537	transparent green gold	PY129	Copper-complex	68859-61-0
14645	Indian red	PR101; PR206	Iron oxide; Quinacridone	1309-37-1; 1047-16-1; 1503-48-6
* 14648	transparent brown	PBr41	Disazocondensation	68516-75-6
14649	English Venetian red	PR101	Iron oxide	1309-37-1
* 14650	spinel brown	PY119	Spinel (Zn, Fe)	68186-90-3
* 14651	maroon brown	NBr	Iridin	-
* 14653	transparent Sienna	PR101	Iron oxide	1309-37-1
14654	gold brown	PY65; PBr41	Monoazo; Disazocondensation	6528-34-3; 68516-75-6
14655	yellow ochre	PY42	Hydrated iron oxide	20344-49-4
14656	yellow raw ochre	PY42/PY43	Hydrated iron oxide	20344-49-4
* 14657	transparent ochre	PY42	Hydrated iron oxide	20344-49-4
* 14658	Mars brown	PBr6	Brown coal	72669-22-8
14659	titanium gold ochre	PBr24	Rutile (Ti, Cr, Sb)	68186-90-3
14660	raw Sienna	PBr7/PY43	Earth pigment	-
14661	burnt Sienna	PR101; PBk9	Iron oxide; Am. carbonized bones of animals	1309-37-1; 8021-99-6
* 14662	sepia brown hue	PR242; PBr7; PBk9	Disazocondensation; Earth pigment; Am. carbonized bones of animals	118440-67-8; -; 8021-99-6
14663	sepia brown	PB15:1; PBr7; PBk9	Phthalocyanine (Cu); Earth pigment; Am. carbonized bones of animals	147-14-8; -; 8021-99-6
* 14665	green umber	PBr7	Earth pigment	-
* 14667	raw umber	PBr7/PY42	Earth pigment	-
14668	burnt umber	PBr7	Earth pigment	-
14669	Vandyke brown	PY153; PBr7; PBk7	Nickel-complex; Earth pigment; Lamp black	68859-51-8; -; 1333-86-4
14670	madder brown	PR206	Quinacridone	1047-16-1; 1503-48-6
* 14671	transparent umber	PR101	Iron oxide	1309-37-1

**Anhang für das Sicherheitsdatenblatt Nr.: 14 000 000**  
**HORADAM® AQUARELL**

art.nr.	art.name	C.I.		CAS-nr.
* 14672	mahogany brown	PBr33	Spinel (Zn,Fe,Cr)	68186-88-9
14780	ivory black	PBk9	Am. carbonized bones of animals	8021-99-6
14781	lamp black	PBk6	Lamp black	1333-86-4
14782	neutral tint	PR122; PB60; PBk7	Quinacridone; Indanthrone; Lamp black	980-26-7; 81-77-6; 1333-86-4
14783	Schmincke payne's grey	PR101; PB29; PBk7	Iron oxide; Sodium aluminum silicate; Lamp black	1309-37-1; 57455-37-5; 1333-86-4
* 14784	perylene green	PBk31	Perylene	67075-37-0
14785	neutral grey	PR255; PB60; PO62	Diketo-pyrrolo-pyrrol; Indanthrone; Benzimidazolone	120500-90-5; 81-77-6; 75601-68-2
* 14786	anthracite	PBk7	Lamp black	1333-86-4
14787	Payne's grey bluish	PBk6; PB15:6; PB15:2	Lamp black; Phthalocyanine (Cu); Phthalocyanine (Cu)	1333-86-4; 147-14-8; 147-14-8
* 14788	graphite grey	PBk10	Crystallized carbon	7782-42-5
* 14789	hematite black	PG17	Hematite (Cr)	1308-38-9
* 14791	Mars black	PBk11	Iron oxide black	1317-61-9
14893	gold	Effektpigment	-	-
14894	silver	Effektpigment	-	-
* 14910	brilliant blue violet	PB29; PV23; Effektpigm.	Sodium aluminum silicate; Dioxazine; -	57455-37-5; 6358-30-1; -
* 14920	brilliant opera rose	PR122; Effektpigment	Quinacridone; -	980-26-7; -
* 14930	brilliant purple	PR122; Effektpigment	Quinacridone; -	980-26-7; -
* 14940	brilliant red violet	PV55; Effektpigment	Quinacridone; -	-; -