Printing date 21.02.2015

Revision: 21.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AMSTERDAM SPRAYPAINT
- Article number: 1716.0000
- · 1.2 Relevant identified uses of the substance or mixture Artists' colour
- · 1.3 Manufacturer/Supplier:
- Royal Talens
- P.O.Box 4

NL-7300 AA Apeldoorn Tel. +31 (0)55 5274700

- $\cdot$  Further information obtainable from:
- Regulatory Affairs
- safety@talens.com • 1.4 Emergency telephone number:

Great Britain: National Poisons Information Service (Bermingham) tel. (44) (0) 1215074123 Ireland: National Poisons Information Centre (Dublin) tel. 35 3 18379966

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



- Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. • Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

- · Hazard statements
- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- · Precautionary statements
- *P101 If medical advice is needed, have product container or label at hand.*
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- *P251* Do not pierce or burn, even after use.
- *P211* Do not spray on an open flame or other ignition source.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

*P501* Dispose of contents/container to hazardous waste collection point.

#### • Additional information:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB

AL 🞯 TALENS Safety data sheet according to 1907/2006/EC, Article 31

Revision: 21.02.2015

(Contd. of page 1)

an amronia	~	• • • •	0	
SECTION 3:	Com	nosition/ii	itormation	on ingredients
	00110		<i>y</i> or <i>measure n</i>	

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	dimethyl ether	25-50%
EINECS: 204-065-8	🚸 Flam. Gas 1, H220; Press. Gas C, H280	
CAS: 64-17-5	ethanol	10-25%
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225	
	propan-2-ol	1-5%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
· Additional informati	ion. For the wording of the listed risk phrases refer to section 16	

**Additional information:** For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · After inhalation: Not applicable.
- After skin contact: Generally the product does not irritate the skin.
- After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Open and handle receptacle with care.
- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

(Contd. on page 3)

GB

Printing date 21.02.2015

Revision: 21.02.2015

(Contd. of page 2)

Page 3/6

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required. • Further information about storage conditions:
- Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm Long-term value: 766 mg/m<sup>3</sup>, 400 ppm

64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:

· Material of gloves

Not applicable.

Butyl rubber, BR

- · Penetration time of glove material Not applicable.
- Eye protection: Not required.

## **SECTION 9: Physical and chemical properties**

General Information	
Appearance:	
Form:	Aerosol
Colour:	According to product specification
Odour:	Recognisable
Change in condition Melting point/Melting ra Boiling point/Boiling ran	
Flash point:	-42 °C
Ignition temperature:	235 °C
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	3.0 Vol %
	18.6 Vol %

Printing date 21.02.2015

Revision: 21.02.2015

Page 4/6

	(Contd. of page 3)
· Vapour pressure at 20 °C:	5200 hPa
· Density at 20 •C:	0.85 g/cm <sup>3</sup>
· Solubility in / Miscibility with water:	Fully miscible.
• 9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the eye: Irritating effect.
- · Sensitisation: No sensitising effects known.

## **SECTION 12: Ecological information**

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA

UN1950

(Contd. on page 5)

Page 5/6

ROYAL Mata sheet Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.02.2015

Revision: 21.02.2015

	(Contd. of pa
14.2 UN proper shipping name	1050 A FROSOLS
ADR MDC	1950 AEROSOLS
IMDG IATA	AEROSOLS AEROSOLS flammable
	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
2	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDĞ, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler): EMS Number:	
	F-D,S-U
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x <b>II of</b> Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
Lever rea quantates (EQ)	Not permitted as Excepted Quantity
Transport category	$\frac{1}{2}$
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1

## **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

GB

Printing date 21.02.2015

Revision: 21.02.2015

	(Contd. of page 5)
· Relevant phrases	
H220 Extremely flammable gas.	
H225 Highly flammable liquid and vapour.	
H280 Contains gas under pressure; may explode if heated.	
H319 Causes serious eye irritation.	
H336 May cause drowsiness or dizziness.	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europea	n Agreement concerning the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
Flam. Gas 1: Flammable gases, Hazard Category 1	
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1	
Press. Gas C: Gases under pressure: Compressed gas	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	