ARTISTI OIL COLOURS

01012 Flake White (Hue)

Revision nr.8 Dated 04/11/2016 Printed on 04/11/2016 Page n. 1 / 9 ΕN

Safety data sheet				
SECTION 1. Identification of the s	ubstance/mixture and of the company/undertaking.			
1.1. Product identifier.				
Code: Product name.	01012 ARTISTI OIL COLOURS 01012 Flake White (Hue)			
1.2. Relevant identified uses of the substance	or mixture and uses advised against.			
Intended use.	Oil colour.			
1.3. Details of the supplier of the safety data s	neet.			
Name. Full address. District and Country.	INDUSTRIA MAIMERI S.P.A. Via Gianni Maimeri, 1 20060 Mediglia (MI) Italia Tel. +39 02 906981			
e-mail address of the competent person. responsible for the Safety Data Sheet.	Fax. +39 02 90698999 schedesicurezza@maimeri.it			
Product distribution by:	INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 20060 BETTOLINO DI MEDIGLIA (MI) ITALY			
1.4. Emergency telephone number.				
For urgent inquiries refer to.	Australia : 131126 USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46 47			

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

H411

Hazard classification and indication: Hazardous to the aquatic environment, chronic toxicity, category 2

Toxic to aquatic life with long lasting effects.

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Hazard statements: H411

Toxic to aquatic life with long lasting effects.

 Precautionary statements:

 P273
 Avoid release to the environment.

 P391
 Collect spillage.

ARTISTI OIL COLOURS

01012 Flake White (Hue)

EN

SECTION 2. Hazards identification. ... / >>

P501

Dispose of contents / container to in accordance with local and national norms. . .

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. x = Conc. %. Classification 1272/2008 (CLP). ZINC OXIDE 1314-13-2 Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 CAS. 5≤x< 6 FC 215-222-5 INDEX. 030-013-00-7 Reg. no. 01-2119463881-32-0000 DIETHYLENE GLYCOL MONOBUTYL ETHER Eye Irrit. 2 H319 CAS. 112-34-5 $0 \le x < 0.05$ 203-961-6 EC. INDEX. 603-096-00-8

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

- 4.2. Most important symptoms and effects, both acute and delayed.
- Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.
- **4.3. Indication of any immediate medical attention and special treatment needed.** Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

ARTISTI OIL COLOURS

01012 Flake White (Hue)

Revision nr.8 Dated 04/11/2016 Printed on 04/11/2016 Page n. 3 / 9

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

DEU DNK ESP NLD SWE EU	Deutschland Danmark España Nederland Sverige OEL EU TLV-ACGIH	Grae INSF Data Occu Direc	bank of the so upational Expo	er stoffer of exposición cial and Ec sure Limit	
				ZINC	COXIDE
Threshold Limit V	alue.				
Туре		⊺WA/8h ng/m3	ppm	STEL/15i mg/m3	min ppm
TLV-ACGIH		5		15	

ARTISTI OIL COLOURS

01012 Flake White (Hue)

SECTION 8. Exposure controls/personal protection. ... / >>

DIETHYLENE GLYCOL MONOBUTYL ETHER

Threshold Lin	nit Value.					
Туре	Country	TWA/8h mg/m3	ppm	STEL/15n mg/m3	nin ppm	
MAK TLV VLA	DEU DNK ESP	100 100 100		100		
MAC	NLD		9			
MAK	SWE	0 7 -	15	101.0	30	
OEL	EU	67,5	10	101,2	15	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required. SKIN PROTECTION None required. EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

.		our p	•
	Appearance		paste
	Colour		white
	Odour		OIL
	Odour threshold.		Not available.
	pH.		
	Melting point / freezing point.		Not available.
	Initial boiling point.		Not available.
	Boiling range.		Not available.
	Flash point.	>	60 °C.
	Evaporation Rate		Not available.
	Flammability of solids and gases		Not available.
	Lower inflammability limit.		Not available.
	Upper inflammability limit.		Not available.
	Lower explosive limit.		Not available.
	Upper explosive limit.		Not available.
	Vapour pressure.		Not available.
	Vapour density		Not available.
	Relative density.		0,3
	Solubility		INSOLUBLE, DILUTE WITH WHITE SPIRIT
	Partition coefficient: n-octanol/water		Not available.
	Auto-ignition temperature.		Not available.
	Decomposition temperature.		Not available.
	Viscosity		Not available.
	Explosive properties		Not available.
	Oxidising properties		Not available.

ARTISTI OIL COLOURS

01012 Flake White (Hue)

Revision nr.8 Dated 04/11/2016 Printed on 04/11/2016 Page n. 5 / 9

SECTION 9. Physical and chemical properties./>>

9.2. Other information.

Total solids (250°C / 482°F)	99,86 %	
VOC (Directive 2010/75/EC) :	0,14 % - 3,55	g/litre.
VOC (volatile carbon) :	0,12 % - 3,01	g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: LC50 (Inhalation - mists / powders) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture: Not classified (no significant component). Not classified (no significant component). Not classified (no significant component). Not classified (no significant component).

SKIN CORROSION / IRRITATION. Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION. Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION. Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY. Does not meet the classification criteria for this hazard class.

CARCINOGENICITY. Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY. Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE. Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ARTISTI OIL COLOURS

01012 Flake White (Hue)

SECTION 11. Toxicological information. .../>>

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity.

Information not available.

- **12.2. Persistence and degradability.** Information not available.
- **12.3. Bioaccumulative potential.** Information not available.

12.4. Mobility in soil. Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

INFORMATION ON TRANSPORT OUTSIDE EU MEMBER NATIONS: NOT USDOT OR IMO REGULATED.

14.1. UN number.

ADR / RID, IMDG, IATA: 3082

ADR / RID:	In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is
	not submitted to ADR provisions.

- IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IMDG Code provisions.
- IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

14.2. UN proper shipping name.

ADR / RID:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)
IATA:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)

INDUSTRIA MAIMERI S.P.A. Revision nr.8 ARTISTI OIL COLOURS 01012 Flake White (Hue) Page n. 7/9 SECTION 14. Transport information. ... / >>

14.3. Transport	hazard	class	(es)	
-----------------	--------	-------	------	--

ADR / RID:	Class: 9	Label: 9
IMDG:	Class: 9	Label: 9
IATA:	Class: 9	Label: 9



14.4. Packing group.

ADR / RID, IMDG, IATA: Ш

14.5. Environmental hazards.

ADR / RID:	Environmentally Hazardous.	
IMDG:	Marine Pollutant.	
IATA:	Environmentally Hazardous.	

14.6. Special precautions for user.

ADR / RID:	HIN - Kemler: 90	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special Provision: -		
IMDG:	EMS: F-A, S-F	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 450 L	Packaging instructions: 964
	Pass.:	Maximum quantity: 450 L	Packaging instructions: 964
	Special Instructions:	A97, A158, A197	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product. Point. Contained substance.

Point.

DIETHYLENE GLYCOL MONOBUTYL ETHER

Substances in Candidate List (Art. 59 REACH).

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH).

3

55

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

ARTISTI OIL COLOURS

01012 Flake White (Hue)

Revision nr.8 Dated 04/11/2016 Printed on 04/11/2016 Page n. 8 / 9

SECTION 15. Regulatory information. ... / >>

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention: None.

Healthcare controls. Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament

ARTISTI OIL COLOURS

01012 Flake White (Hue)

Revision nr.8 Dated 04/11/2016 Printed on 04/11/2016 Page n. 9 / 9

SECTION 16. Other information. .../>>

- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 06 / 07 / 08 / 09 / 11 / 14 / 15 / 16.