

Page 1/7

Safety data sheet according to 1907/2006/EC, as ammended by Regulation (EU) no. 2015/830

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RECTIFIED TURPENTINE 032
- · Article number: 24280032, 24300032, 24320032
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use: Solvent

· 1.3 Manufacturer/Supplier:

Royal Talens P.O.Box 4

NL-7300 AA Apeldoorn Tel. +31 (0)55 5274700

· Further information obtainable from:

Regulatory Affairs safety@royaltalens.com

· 1.4 Emergency telephone number:

Great Britain: National Poisons Information Service (Birmingham) tel. (44) (0) 1215074123

Ireland: National Poisons Information Centre (Dublin) tel. 35 3 18379966

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, as ammended by Regulation (EU) no. 2015/830

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02

GHS07

GHS08

311502 G11507 C

· Signal word Danger

· Hazard-determining components of labelling:

Turpentine, oil

· Hazard statements

H226 Flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to hazardous waste collection point.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances 100%
- · CAS No. Description

8006-64-2 Turpentine, oil

- · Identification number(s)
- · EC/List number: 232-350-7
- · Index number: 650-002-00-6

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

Headache

Nausea

(Contd. on page 3)

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

(Contd. of page 2)

Irritating to respiratory system and skin.

May be fatal if swallowed and enters airways.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water spray
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Storage class: -
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

8006-64-2 Turpentine, oil (80-100%)

WEL Short-term value: 850 mg/m³, 150 ppm Long-term value: 566 mg/m³, 100 ppm

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



If prolonged or repeated contact is likely, chemical resistant gloves are recommended.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses if risk of splashes.

Appearance: Form: Form: Colour: Colour: Characteristic pH-value: Mixture is non-soluble (in water). Change in condition Melting point/freezing point: Initial boiling point and boiling range: 154-170 °C Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.	9.1 Information on basic physical and ch General Information	nemical properties
Form: Colour: Colouriess Odour: PH-value: Mixture is non-soluble (in water). Change in condition Melting point/freezing point: Initial boiling point and boiling range: 154-170 °C Flash point: Plash point: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Product is not explosive. However, formation of explosive vapour m		
Colour: Odour: Characteristic PH-value: Mixture is non-soluble (in water). Change in condition Melting point/freezing point: Initial boiling point and boiling range: 154-170 °C Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: Viscosity: Not determined. Viscosity:		Fluid
PH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: 154-170 °C Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 0.8 Vol % Upper: 0 6 Vol % No further relevant information available. Vapour pressure at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.		
Change in condition Melting point/freezing point: 55 °C Initial boiling point and boiling range: 154-170 °C Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: 0.8 Vol % Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 0.86 g/cm³ Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	Odour:	Characteristic
Meliting point/freezing point: Initial boiling point and boiling range: 154-170 °C Flash point: Elash point: Auto-ignition temperature: Decomposition temperature: Explosive properties: Lower: Upper: Oxidising properties Vapour pressure at 20 °C: Density at 20 °C: Evaporation rate Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not applicable. 24-36 °C Not applicable. Not determined. 270 °C Not determined. Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: 0.8 Vol % 6 Vol % No further relevant information available. Solubility in / Miscibility with water at 20 °C: 0.86 g/cm³ Not determined. Not determined.	pH-value:	Mixture is non-soluble (in water).
Initial boiling point and boiling range: 154-170 °C Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: 0.8 Vol % Upper: 0.8 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: 0.86 g/cm³ Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.		
Flash point: 24-36 °C Flammability (solid, gas): Not applicable. Auto-ignition temperature: 270 °C Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: 0.8 Vol % Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: 0.86 g/cm³ Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.	Melting point/freezing point:	
Flammability (solid, gas): Auto-ignition temperature: Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: Evaporation rate Solubility in / Miscibility with water at 20 °C: Descrited: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	Initial boiling point and boiling range:	154-170 °C
Auto-ignition temperature: Decomposition temperature: Not determined. Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 0.8 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.	Flash point:	24-36 °C
Decomposition temperature: Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Flammability (solid, gas):	Not applicable.
Explosive properties: Product is not explosive. However, formation of explosive vapour mixtures are possible. Explosion limits: Lower: Upper: Oxidising properties No further relevant information available. Vapour pressure at 20 °C: Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Auto-ignition temperature:	270 °C
Explosion limits: Lower: Upper: 0.8 Vol % Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined.	Decomposition temperature:	Not determined.
Lower: 0.8 Vol % Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: 0.86 g/cm³ Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	Explosive properties:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.
Upper: 6 Vol % Oxidising properties No further relevant information available. Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: 0.86 g/cm³ Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	Explosion limits:	
Oxidising properties No further relevant information available. Vapour pressure at 20 °C: Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Lower:	
Vapour pressure at 20 °C: 5.35 hPa Density at 20 °C: 0.86 g/cm³ Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	**	0 / 0. / 0
Density at 20 °C: Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Oxidising properties	No further relevant information available.
Evaporation rate Not determined. Solubility in / Miscibility with water at 20 °C: 0.02 g/l Partition coefficient: n-octanol/water: Not determined. Viscosity:	Vapour pressure at 20 °C:	5.35 hPa
Solubility in / Miscibility with water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Density at 20 °C:	0.86g/cm^3
water at 20 °C: Partition coefficient: n-octanol/water: Not determined. Viscosity:	Evaporation rate	Not determined.
Partition coefficient: n-octanol/water: Not determined. Viscosity:		
Viscosity:	water at 20 °C:	0.02 g/l
	Partition coefficient: n-octanol/water:	Not determined.
Dynamic: Not determined.		
·	Dynamic:	
Kinematic: Not determined. Organic solvents: 100.0 %		

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under recommended storage and handling conditions (see section 7).
- · 10.3 Possibility of hazardous reactions

Dangerous reactions are not expected if the product is handled according to its intended use.

- · 10.4 Conditions to avoid Keep away from sources of ignition No smoking.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products: No decomposition if used according to specifications.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

· <i>LD/LC50</i> 1	values rele	levant for classification:	
8006-64-2	Turpentin	e, oil	
Oral	LD50	>5,000 mg/kg (rat)	
Inhalative	LC50/4 h	13.7 mg/l (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

(Contd. of page 5)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1299
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1299 TURPENTINE, ENVIRONMENTALLY HAZARDOU TURPENTINE, MARINE POLLUTANT TURPENTINE
· 14.3 Transport hazard class(es)	
· ADR, IMDG	
· Class	3 Flammable liquids.
· Label · IATA	3
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	None. III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Flammable liquids. 30 F-E,S-E A
· 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	o f Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 29.03.2022 Version: 1.2 Revision: 29.03.2022

	(Contd. of page 6
Transport category	3
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1299 TURPENTINE, 3, III, ENVIRONMENTALLY
	HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

GE