

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.07.2023

Version number 1.2 (replaces version 1.1)

Revision: 21.07.2023

- GB

1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: Gerstäcker Triton S Acrylic 750 ml · Article number: 17301G, 17302G, 17303G, 17304G, 17305G, 17306G, 17307G, 17308G, 17309G, 17310G, 17311G, 17312G, 17313G, 17314G, 17315G, 17316G, 17317G, 17318G 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Paint For artists and hobby user. · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de · Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de 1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00) 2 Hazards identification 2.1 Classification of the substance or mixture

 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Contains preservatives.

EUH208 Contains BIT (1,2-benzisothiazol-3(2H)-one), C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)). May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture based on water, colorants, binders and additives

| | Kaolin | 5–<10% |
|--------------------------------|---|--------------|
| | substance with a Community workplace exposure limit | |
| | Propylene glycol | 0.5-<2.5% |
| | substance with a Community workplace exposure limit | |
| Reg.nr.: 01-2119456809-23-XXXX | | |
| | BIT (1,2-benzisothiazol-3(2H)-one) | 0.005-<0.05% |
| EINECS: 220-120-9 | ♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. | |
| Index number: 613-088-00-6 | H400; Aquatic Chronic 2, H411; 🕧 Acute Tox. 4, H302; Skin Irrit. | |
| Reg.nr.: 01-2120761540-60-XXXX | | |
| | Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % | |

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2023

Version number 1.2 (replaces version 1.1)

Revision: 21.07.2023

| | | (Contd. of page 1) |
|-------------------------------------|---|--------------------|
| CAS: 55965-84-9 | C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4- | 0.00025-<0.0015% |
| Index number: 613-167-00-5 | isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3- | |
| | one [EC No 220-239-6] (3:1)) | |
| | Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; | |
| | Skin Corr. 1C, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1, | |
| | H400 (M=100); Aquatic Chronic 1, H410 (M=100); () Skin Sens. | |
| | 1A, H317, EUH071 | |
| | Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % | |
| | Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 | |
| | % | |
| | Eye Dam. 1; H318: C ≥ 0.6 % | |
| | Eve Irrit. 2; H319: 0.06 % ≤ C < 0.6 % | |
| | Skin Sens. 1A; H317: C ≥ 0.0015 % | |
| • Additional information: For the w | ording of the listed hazard phrases refer to section 16. | |

4 First aid measures

· 4.1 Description of first aid measures

- After inhalation: Not applicable.
- After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Remove contact lenses.
- Rinse opened eye for several minutes under running water.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Send for recovery or disposal in suitable receptacles.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:
- No special measures required. The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from frost
- Protect from heat and direct sunlight.
- · Storage class: 12

(Contd. on page 3)

Version number 1.2 (replaces version 1.1)

Revision: 21.07.2023

· 7.3 Specific end use(s) See chapter 1.2.

Printing date 21.07.2023

(Contd. of page 2)

| 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 1323-857 Kaolin WEL Long-term value: 2 mg/m³ 57-55-6 Propylene glycol Total vapour and particulates **particulates DNELs 57-55-6 Propylene glycol Inhalative Chronic - local effect 10 mg/m³ /long-term (worker) chronic - systemic effect 10 mg/m³ /long-term (worker) chronic - systemic effect 183 mg/l freshwater 26 mg/l water 26 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment Control, hinke soft wat my lagenic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyees and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyees and skin. | Exposure controls/perso | onal protection | | |
|---|--|---|--|---------|
| 133-58-7 Kaolin WEL Long-term value: 2 mg/m³ 57-55-6 Propylene glycol WEL Long-term value: 474* 10** mg/m³, 150* ppm Total vapour and particulates **particulates 57-55-6 Propylene glycol Inhalative chronic - local effect chronic - systemic effect 10 mg/m³ /long-term (worker) chronic - systemic effect 10 mg/m³ /long-term (worker) chronic - systemic effect 50 mg/m³ /long-term (worker) pNELs 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 260 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg soil 50 mg/kg soil 50 mg/kg dottoral information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protective and hyglenic measures: Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Resepiratory protective: Not required. | 8.1 Control parameters | | | |
| WEL Long-term value: 2 mg/m³ 57-55-6 Propylene glycol WEL Long-term value: 474*10** mg/m³, 150° ppm *total vapour and particulates **particulates 57-55-6 Propylene glycol Inhalative chronic - local effect chronic - systemic effect 10 mg/m³ /long-term (general population) 10 mg/m³ /long-term (worker) 50 mg/m³ /long-term (worker) PNECs 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l 20 mg/l 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varia from manufacturer to manufacturer. As the product is a preparation of several substance, the resistance of the gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varia from manufacturer to manufa | Ingredients with limit values the | hat require monitoring at | the workplace: | |
| 57.55-6 Propylene glycol WEL Long-term value: 474* 10** mg/m³, 150° ppm | 1332-58-7 Kaolin | | | |
| WEL Long-term value: 474* 10** mg/m³, 150* ppm 'total vapour and particulates "*particulates DNELs S7-55-6 Propylene glycol Inhalative chronic - local effect 10 mg/m³ /long-term (general population) 10 mg/m³ /long-term (worker) PNECs 57-55-6 Propylene glycol water freshwater 260 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not inhale gases / fumes / aerosis. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection Material of gloves De not inhale gases / fumes / aerosis. De not inhale gases / fumes / aerosis. De not inhale gases / fumes / aerosois. De w | WEL Long-term value: 2 mg/m ³ | • | | |
| Intels 57-55-6 Propylene glycol Inhalative chronic - local effect 10 mg/m³ /long-term (general population) inhalative chronic - systemic effect 10 mg/m³ /long-term (worker) 57-55-6 Propylene glycol 50 mg/m³ /long-term (worker) 77-55-6 Propylene glycol 50 mg/m³ /long-term (worker) 77-55-6 Propylene glycol 50 mg/m³ /long-term (worker) 8 78-55-6 Propylene glycol water 183 mg/l freshwater 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not ead, dink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not ead, dink, smoke or sniff while working. Avoid contact with the eyes and skin. De not ead, dink, smoke reasols. Wash hands | 57-55-6 Propylene glycol | | | |
| DNELs 57-55-6 Propylene glycol Inhalative chronic - local effect 10 mg/m³ /long-term (worker) chronic - systemic effect 50 mg/m³ /long-term (worker) 50 mg/m³ /long-term (worker) 50 mg/m³ /long-term (worker) PNECs 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, dink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, dink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, fork, smoke or sniff while working. Avoid contact with the eyes and skin. Manage set / furmes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to | | | | |
| 57:55-6 Propylene glycol Inhalative chronic - local effect 10 mg/m³ /long-term (worker) chronic - systemic effect 50 mg/m³ /long-term (worker) 50 mg/m³ /long term (general population) 168 mg/m³ /long-term (worker) PNECs 57:55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l avaine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; such as personal protective equipment General protective and hygienic measures: Do not et, drink, smoke or smlff while working. Avoid contact with the eyes and skin. Do not inhal gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the chemic mixt | *total vapour and particula | ates **particulates | | |
| Inhalative chronic - local effect 10 mg/m³ /long-term (worker) Inhalative chronic - systemic effect 10 mg/m³ /long-term (worker) Som g/m³ /long-term (worker) 50 mg/m³ /long-term (worker) PNECs 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20.000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protection: Not required. Hand protection Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Bogivar protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation of the glove material can be given for the product/ the preparation. Due to missing tests no recommendat | DNELs | | | |
| chronic - systemic effect 10 mg/m³ /long-term (worker) 50 mg/m³ /long-term (general population) 168 mg/m³ /long-term (worker) PNECs 57:55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8:2: Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; such as personal protective equipment General protective and hygien: measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemid mixture. <t< th=""><th>57-55-6 Propylene glycol</th><th></th><th></th></t<> | 57-55-6 Propylene glycol | | | |
| chronic - systemic effect 50 mg/m³ /long term (general population) 168 mg/m³ /long-term (worker) PNECs 57.55.6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; such as personal protective equipment General protective and hygienic measures: Do no inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari form manufacturer to manufacturer. As the product is preparation of several substances, the resistance of the glo material can not be calculated in advance and has therefore to be checked prior | Inhalative chronic - local effect | 10 mg/m ³ /long-term (| general population) | |
| 168 mg/m³ /long-term (worker) PNECs 57-55-6 Propylene glycol water get markine water 260 mg/l markine water 260 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. <td cols<="" th=""><th></th><td>10 mg/m³ /long-term (</td><td>worker)</td></td> | <th></th> <td>10 mg/m³ /long-term (</td> <td>worker)</td> | | 10 mg/m ³ /long-term (| worker) |
| PNECs 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. De not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. De not eat, drink, sing before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemic mixture. Selection of the glove material on cons | chronic - systemic eff | fect 50 mg/m ³ /long term (| general population) | |
| 57-55-6 Propylene glycol water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo mat | | 168 mg/m ³ /long-term | (worker) | |
| water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 57.2 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the produc | PNECs | | | |
| water 183 mg/l freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 57.2 mg/kg soil 57.2 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures; Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the produc | 57-55-6 Propylene glycol | | | |
| freshwater 260 mg/l marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As | | 183 mg/l | | |
| marine water 26 mg/l sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo material can not be calculated in advance and has therefore to be checked prior to the application. <th></th> <td>0</td> <td></td> | | 0 | | |
| sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not eat, drink smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo material can not be calculat | | - | | |
| freshwater sediment 572 mg/kg soil 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo material in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection of the suitable in advance an | | • | | |
| marine sediment 57.2 mg/kg soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The manufacturer of the protection of the substance of the glo material can not be calculated in advance and | freshwater sediment | 572 mg/kg | | |
| soil 50 mg/kg Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glo material and varie from time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. | | 00 | | |
| 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glow material in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. | | | | |
| Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemic mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. | Additional information: The lis | ts valid during the making | were used as basis. | |
| Evertace protection Not required. | The glove material has to be imp Due to missing tests no recommisture. Selection of the glove material of Material of gloves The selection of the suitable glo from manufacturer to manufact material can not be calculated in Penetration time of glove mate The exact break through time has | nendation to the glove main oves does not only depen turer. As the product is a advance and has therefor erial as to be found out by the m | aterial can be given for the product/ the preparation/ the chemic etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and vari- preparation of several substances, the resistance of the glo re to be checked prior to the application. | |
| | General Information on basic physi | ical and chemical proper | u42 | |
| 9.1 Information on basic physical and chemical properties General Information | Physical state | | Fluid | |
| General Information Fluid | | | According to product specification | |
| General Information Fluid Physical state Fluid Colour: According to product specification | | | | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic | | | | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. | | point and boiling range | | |
| General InformationPhysical stateFluidColour:According to product specificationOdour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined. | - | | purity) | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of simila purity) | | nit | Not applicable. | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of simila purity) Flammability Not applicable. | | IIIL | Not determined | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) Flammability Not applicable. Lower and upper explosion limit Head to the state of | Upper: | | Not determined. | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similize purity) Flammability Not applicable. Lower: Not determined. | Flash point: | | Not applicable. | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similize purity) Flammability Not applicable. Lower: Not determined. Upper: Not determined. Flash point: Not applicable. | Decomposition temperature: | | Not determined. | |
| General Information Fluid Physical state Fluid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of simila purity) Flammability Not applicable. Lower and upper explosion limit Lower: Upper: Not determined. Flash point: Not applicable. Decomposition temperature: Not determined. | pH at 20 °C | | 6–9 | |

(Contd. on page 4)

ĠВ

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.2 (replaces version 1.1)

| | | (Contd. of pa |
|--|--|---------------|
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| Dynamic: | Not determined. | |
| Solubility | | |
| water: | Fully miscible. | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density and/or relative density | | |
| Density at 20 °C: | 1.1–1.5 g/cm ³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Fluid | |
| Important information on protection of health | | |
| environment, and on safety. | | |
| Ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Change in condition | r foddet does not present an explosion nazard. | |
| Evaporation rate | Not determined. | |
| Information with record to physical barard alagoes | | |
| Information with regard to physical hazard classes Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammable ga | | |
| in contact with water | Void | |
| Oxidising liquids | Void | |
| | Void Void | |
| Oxidising solids Organic peroxides | Void Void | |
| Corrosive to metals | Void Void | |
| Desensitised explosives | Void Void | |
| | VOID | |

10 Stability and reactivity

 \cdot 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Printing date 21.07.2023

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

| 57-55-6 P | ropylene | glycol |
|------------|------------------------------|--|
| Oral | LD50 | 22,000 mg/kg (rat) (ECHA) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) (ECHA) |
| 2634-33-5 | BIT (1,2- | benzisothiazol-3(2H)-one) |
| Oral | LD50 | 490 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |
| | | |
| Inhalative | LC50/4n | 0.05 mg/m³ (ATE) |
| | 9 C(M)IT/ | 0.05 mg/m³ (ATE) MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2 4-isothiazolin-3-one [EC No 220-239-6] (3:1)) |
| | 9 C(M)IT/ methyl- | MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2 |
| 55965-84- | 9 C(M)IT/ methyl- LD50 | MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2 4-isothiazolin-3-one [EC No 220-239-6] (3:1)) |

(Contd. on page 5)

- GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.2 (replaces version 1.1)

Printing date 21.07.2023

Revision: 21.07.2023

| Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. | (Contd. of page 4) |
|---|--------------------|
| · Endocrine disrupting properties | |
| None of the ingredients is listed. | |

12 Ecological information

| · 12.1 | To | kic | ity | |
|--------|----|-----|-----|--|
| | | | | |

| Itene glycol ,613 mg/l (oncorhynchus mykiss) (ECHA) ,340 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) 0,000 mg/l (pseudomonas putida) (ECHA) ,020 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 65 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 94 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 927 mg/l (sceletonema costatum) |
|--|
| ,340 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) ,000 mg/l (pseudomonas putida) (ECHA) ,020 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| ,300 mg/l (sceletonema costatum) (ECHA) 0,000 mg/l (pseudomonas putida) (ECHA) ,020 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 94 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 0,000 mg/l (pseudomonas putida) (ECHA) ,020 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 94 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| ,020 mg/l (ceriodaphnia dubia) (ECHA) ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| ,300 mg/l (sceletonema costatum) (ECHA) (1,2-benzisothiazol-3(2H)-one) 6 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| (1,2-benzisothiazol-3(2H)-one) 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 94 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 927 mg/l (sceletonema costatum) |
| 5 mg/l (oncorhynchus mykiss) 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 94 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 927 mg/l (sceletonema costatum) |
| 94 mg/l (daphnia magna) 11 mg/l (selenastrum capricornutum) 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 11 mg/l (selenastrum capricornutum) 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 04 mg/l (selenastrum capricornutum) 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 11 mg/l (pseudokirchneriella subcapitata) 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 2 mg/l (daphnia) 027 mg/l (sceletonema costatum) |
| 027 mg/l (sceletonema costatum) |
| o (|
| |
| 21 mg/l (oncorhynchus mykiss) |
| M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and ethyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)) |
| 22 mg/l (oncorhynchus mykiss) (RAC) |
| 1 mg/l (daphnia magna) |
| 048 mg/l (pseudokirchneriella subcapitata) |
| 004 mg/l (daphnia magna) (OECD 211) |
| 0049 mg/l /120h (sceletonema costatum) |
| 004 mg/l (daphnia) |
| 00064 mg/l (sceletonema costatum) |
| 0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) |
| 098 mg/l (oncorhynchus mykiss) (OECD 210) |
| nce and degradability |
| |
| e production 81.7 % /28d (OECD 301 F) |
| 98.3 % /28d (OECD 301 F) |
| mption 106.8 % /28d (OECD 301 F) nulative potential No further relevant information available. |
| |

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.2 (replaces version 1.1)

Revision: 21.07.2023

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14.1 UN number or ID number | | |
|--|-----------------|--|
| ADR, ADN, IMDG, IATA | not regulated | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | not regulated | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | not regulated | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | not regulated | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according | to IMO | |
| instruments | Not applicable. | |

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Toxic if swallowed. H301
- H302 Harmful if swallowed
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- Causes serious eye damage. H318
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Toxic to aquatic life with long lasting effects. H411
- EUH071 Corrosive to the respiratory tract.
- Department issuing SDS: Product Safety Department
- · Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity Category 4 Acute Tox. 2: Acute toxicity Category 2 Acute Tox. 1: Acute toxicity Category 1 Skin Corr. 1C: Skin corrosion/irritation Category 1C Skin Irrit. 2: Skin corrosion/irritation Category 2 Eye Dam. 1: Serious eye damage/eye irritation Category 1 Skin Sens. 1: Skin sensitisation Category 1 Skin Sens. 1: Skin sensitisation Category 1 Skin Sens. 1: Skin sensitisation Category 1
- Skin Sens. 1A: Skin sensitisation Category 1A Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1

(Contd. on page 7)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.2 (replaces version 1.1)

Printing date 21.07.2023

Revision: 21.07.2023

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 \cdot * Data compared to the previous version altered.

— GB

(Contd. of page 6)